

SAFETY DATA SHEET

Svane Cremesæbe Lux

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Svane Cremesæbe Lux

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC39 Personal care

Product code (A.I.S.E.)

AISE-P1300 / Professional Hand Cleaner.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC39	Cosmetics, personal care

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Nowas

Falstervej 1-3
 DK-9670 Løgstør
 Denmark
 Tel.: +45 9867 7878
 www.nowas.dk

E-mail

post@nowas.dk

Revision

10/06/2025

SDS Version

7.0

Date of previous version

27/06/2023 (6.0)

1.4. ▼ Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 112 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Precautionary statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

▼ Hazardous substances

Does not contain any substances required to report

Additional labelling

EUH210, Safety data sheet available on request.

2.3. Other hazards

▼ Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	3-5%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	[19]
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts	CAS No.: 147170-44-3 EC No.: 931-333-8 UK-REACH: Index No.:	1-3%	Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 4.00 %) Aquatic Chronic 3, H412	
formic acid	CAS No.: 64-18-6 EC No.: 200-579-1 UK-REACH: Index No.: 607-001-00-0	<0.01%	Skin Corr. 1A, H314 Skin Irrit. 2, H315 (SCL: 2.00 %) Eye Irrit. 2, H319 (SCL: 2.00 %)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Labelling of contents according to Regulation 1223/2009 on cosmetic products "Ingredients"

SODIUM BENZOATE (PRESERVATIVES)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. ▼ Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

5.3. ▼ Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

6.1. ▼ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

▼ Storage temperature

0 - 40°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol

Long term exposure limit (8 hours) (mg/m³): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	7.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	12.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	13.04 mg/m ³
Long term – Systemic effects - Workers	Inhalation	44 mg/m ³
Long term – Systemic effects - General population	Oral	7.5 mg/kg bw/day

natriumbenzoat

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	31.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	62.5 mg/kg bw/day
Long term – Local effects - General population	Inhalation	60 µg/m ³
Long term – Local effects - Workers	Inhalation	100 µg/m ³
Long term – Systemic effects - General population	Inhalation	1.5 mg/m ³
Long term – Systemic effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - General population	Oral	16.6 mg/kg bw/day

▼ PNEC

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts

Route of exposure:	Duration of Exposure:	PNEC:
Activated Sludge Plant		14000 mg/l
Freshwater		13.5 µg/L
Freshwater sediment		14.8 mg/kg
Marine water		1.35 µg/L
Marine water sediment		1.48 mg/kg
Sewage treatment plant		3 g/L
Soil		800 µg/kg

Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts

Route of exposure:	Duration of Exposure:	PNEC:
Activated Sludge Plant		>100 mg/l

natriumbenzoat

Route of exposure:	Duration of Exposure:	PNEC:
--------------------	-----------------------	-------

Freshwater	581 µg/L
Freshwater sediment	2.5 mg/kg
Intermittent release (freshwater)	58.1 µg/L
Intermittent release (marine water)	5.81 ng/L
Marine water	58.1 µg/L
Marine water sediment	250 µg/kg
Predators	300 mg/kg
Sewage treatment plant	10 mg/L
Soil	158.7 µg/kg

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

8.3. Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

▼ Respiratory Equipment

Type	Class	Colour	Standards
No special when used as intended.			

▼ Skin protection

Recommended	Type/Category	Standards
No special when used as intended.		

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No special when used as intended.			

▼ Eye protection

Type	Standards
No special when used as intended.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form

Liquid

Colour

White

Odour

Pleasant

▼ **Odour threshold (ppm)**

No data available.

pH

5,3

Density (g/cm³)

1.01

Viscosity

2 Min. KM

Phase changes▼ **Melting point (°C)**

No data available.

▼ **Boiling point (°C)**

No data available.

▼ **Vapour pressure**

No data available.

▼ **Vapour density**

No data available.

▼ **Decomposition temperature (°C)**

No data available.

Evaporation rate (n-butylacetate = 100)

Data on fire and explosion hazards▼ **Flash point (°C)**

No data available.

▼ **Ignition (°C)**

No data available.

▼ **Auto flammability (°C)**

No data available.

▼ **Explosion limits (% v/v)**

No data available.

▼ **Explosive properties**

No data available.

▼ **Oxidizing properties**

No data available.

Solubility**Solubility in water**

Completely soluble

▼ **n-octanol/water coefficient**

No data available.

▼ **Solubility in fat (g/L)**

No data available.

9.2. Other information**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

▼ Acute toxicity

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>5000 mg/l ·

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/l ·

Product/substance	glycerol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	12600 mg/kg ·

Product/substance	glycerol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>10 mg/kg ·

Product/substance	glycerol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>570 mg/kg ·

Product/substance	1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	6,5 g/kg ·

Product/substance	1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg ·

Product/substance	natriumbenzoat
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg ·

Product/substance	natriumbenzoat
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	12,2 mg/l ·

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼ Toxicity

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	10-100 mg/l ·

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	10-100 mg/l ·

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>100 mg/l ·

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Fish
Duration:	No data available.
Test:	NOEC
Result:	1-10 mg/l ·

Product/substance	Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
Species:	Daphnia
Duration:	No data available.
Test:	NOEC
Result:	0,1-1 mg/l ·

Product/substance	glycerol
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	>10000000 ug/L ·

Product/substance	glycerol
Species:	Fish
Duration:	48 hours
Test:	LC50

Result: >10000000 ug/L ·

Product/substance 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts
 Species: Fish
 Duration: 48 hours
 Test: LC50
 Result: 20 mg/l ·

Product/substance 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: 36 mg/l ·

Product/substance natriumbenzoat
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: > 100 mg/l ·

Product/substance natriumbenzoat
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: > 100 mg/l ·

Product/substance natriumbenzoat
 Species: Algae
 Duration: 24 hours
 Test: EC50
 Result: > 100 mg/l ·

Based on available data, the classification criteria are not met.

12.2. ▼ Persistence and degradability

Product/substance Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
 Result: 96%
 Conclusion: Readily biodegradable
 Test: OECD 301 A

Product/substance glycerol
 Conclusion: Readily biodegradable

Product/substance 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts
 Result: 82,5
 Conclusion: Readily biodegradable
 Test: OECD 301 D

Product/substance natriumbenzoat
 Conclusion: Readily biodegradable

12.3. ▼ Bioaccumulative potential

Product/substance Alcohols, C12-14, even, numbered, ethoxylated, It, 2,5, EO, sulfates, sodium, salts
 LogKow: 0,3000
 Conclusion: No potential for bioaccumulation

Product/substance glycerol
 Conclusion: No potential for bioaccumulation

Product/substance 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated acyl) derivs., hydroxides inner salts
 BCF: 71
 LogKow: 4,2000
 Conclusion: No potential for bioaccumulation

Test:	OECD 305
Product/substance	natriumbenzoat
Conclusion:	No potential for bioaccumulation

12.4. Mobility in soil

No data available.

12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations**Waste treatment methods**

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Waste group H:

Waste with low energy content

Specific labelling**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****▼ Restrictions for application**

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC39 = Cosmetics, personal care

▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

▼ The safety data sheet is validated by

JEH

▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en